



0,2 (2 / 2), 8 90-95° !

1.			«	»			200				
2.			:								
3.							:				
4.			:								
5.		()				:		
6.		:									
6. 7.					:						
8.											
					«	»		200			
9.											
	•	•			«	»	•	200		•	

2

51232-98

1.1.

0,2 7 40 , 95° .

1.2. 5542-96

1.3.

1.4.

1.5.

1.6.

2.

3

2.1. 2.2. 2.3. 2.4.




						(*)		
	7	10	12,5	16	20	25	31,5	40
1. ,	7	10	12	16	20	25	31,5	40
2.	9	12,5	15	19	23	28	35	45
3. , 3/	0,95	1,32	1,59	2,12	2,43	2,96	3,71	4,77
4.	50-95	50-95	50-95	50-95	50-95	50-95	50-95	50-95
5.	87-90	87-90	87-90	87-90	87-90	87-90	87-90	87-90
6.	1,3	1,3	1,3	1,3	1,3	1,3	1,3	1,3
7.	0,2	0,2	0,2	0,2	0,2	0,2	0,2	0,2
8.	3-25	3-25	3-25	3-25	3-25	3-40	3-40	3-40
9.	110- 280	110- 280	110- 280	110- 280	110- 280	110- 280	110- 260	110- 260
10.	200	200	200	200	200	200	200	200
: - : - :	1,5" ½"	1,5" ½"	1,5" ½"	2" ½"	2" ½"	2" ¾"	2" ¾"	2" 3⁄4"
11. ,	120	120	120	120	120	150	150	150
12. , . - -	300 490 650	300 490 650	336 490 765	386 490 860	386 490 860	490 490 1130	490 490 1130	490 650 1130
13.	70	100	120	160	200	250	300	400
14*. 35 ° , / ,			4,5	5,6	6,7	8,4	9,7	10,8
15. , ()	44	44	56	68	68	110	110	120

: 12,5 , 16 , 20 , 25 , 31,5 , 40 , , _

	347927	., . , 20
	() <	,) () :
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \) <>





0,5 . 0,5 . 1. 2. 3. 4. 5. 6. 7. 6. 7. 8. 9. 10. (2 / ²). 0,2 "04". "01"

5.

(. 1)

6 -

6.

6.2. 0,5

100 6.3.

6.4.

6.5. . 2.


6.6.

6.1.

50 . 100 6.7.


1,5

6.8.



. 1

7 -



6

-

·

11.4.

· - - , - - - ().



1.	·
2.	
3.	1.
4. ,	
	,
	. 6.

```
6.9.
                                                                       3
                                                                                 3
         6.10.
                                                                                       10
       1 .
                                        10
         6.11.
         6.12.
                                                                               5 .,
0,5 .
         6.13.
         6.14.
         6.15.
                                                                      :
1 1/2 - 2"
1 1/4 - 1 1/2"
                                                                      1/2"
                                                                                 3/4"
         6.16.
90°,
: -7 - 105 , -10 - 140, , -12.5 - 170, ,

- 230, , -20 - 280 , -25 - 340 , -31 - 420

-40 - 500 .
                                                                                     -16
                                                   ( ) 25, 31.5, 40
```

7.

(. ,).

7.1.

7.2.

7.3.

(. ,).

(. ,).

(. ,).

8.

8.1.

8.2.

8.3.

8.4.

...

1 (,)-, 70 - 75°, 9.

9.1.

9.2.

9.3.

9.4.

9.5.

+5 +40

11. 30 , -15 , 42 , 11.2.

, in the state of the state of